

OUR COMPANY'S GOAL:

We are dedicated to reach our goal to make our own DLB brand a globally respected and accepted trademark of our high quality ESD products, like other trademarks of the leading manufacturers (American, German, Italian, etc. companies) of the international market.

With our Hungarian product development and production our aim is to provide guidance on ESD product's market and with innovations we want to improve the effectiveness of ESD protection. With this activity, we increase the security of electronics production and prevent the malfunction of electronic products by static discharge and help the safe use of them. With their work our colleagues can contribute to the proper work of lifesaving products: for example to avoid mistakes in production of car braking electronics or to provide the proper operation of medical diagnostic devices.

Our company ensures the livelihood of more than 80 Hungarian families and we strive with our product and market development to continue to increase D és Tsa Team.





About our company	6
ESD Requirements	8
ESD Fabrics	10
Washing instructions and warranty	22
STANDARD LINE Collection	. 24
PREMIUM LINE Collection	. 42
BUSINESS LINE Collection	. 50
SUMMER LINE Collection	. 58
WINTER LINE Collection	
Other ESD products	
CLEANROOM LINE Collection	.102
Size charts, figures	. 112
LOGO DESIGN	
Notes	. 117

^{*} The product and fabric colors shown in the catalogue may differ from the colours of the manufactured products, we do not accept responsibility for any discrepancies. Please request our free fabric sample catalog. This catalog is for informational purposes only, and our company accepts no responsibility for any typographical errors (technical data, sizes, etc.) and reserves the right to make changes.

0

ABOUT OUR COMPANY

D és Tsa Bt. was established in 1996. It is a 100 % Hungarian owned company. Our main business segment is to provide help in static control - we offer a large scale of products, and different services for ensure well-working ESD protection at companies. These can be helpful for providing security in electronic manufacturing and prevent the damage of electronic products by static discharge. Our business grew gradually through the years. We established our reputation both on domestic and international markets with our quality, self-produced **ESD garments.** You can purchase **ESD entrance systems**, test stations and measurement instruments with our AIJGO brand name. But we can help you with several more items too, for example:

- Cleanroom garments
- ESD chairs
- ESD floor mats and table mats
- ESD packaging materials
- ESD personal grounding equipments
- ESD and safety shoes
- Soldering stations
- Soldering materials
- Hand tools

In the partner network of D és Tsa Bt. there are leading multinational electronics manufacturing corporations, which look on our company as their strategic supplier partner on ESD issues. Our outstanding results could be thank to our highly professional readiness, flexibility and the high quality standards of our sales and production. D és Tsa Bt. is a certified company on the basis of EN ISO 9001:2015 quality management system.

We offer different ESD services which prove our professionalism and made our position on the market even stronger:

- ESD training
- ESD audit
- Real-time ESD event investigation
- Project support (design, implementation, maintenance)
- ESD process and related documentation review
- EPA on-site instrumental inspections / reviews (ESD compliance testing of machinery, floor,
- production area, production line compliance measurement)
- Periodic compliance measurements (quarterly, semi-annual)
- ESD measuring instrument training



Our company offers good quality, self-produced ESD clothing products for Hungarian and foreign partners, which are manufactured in accordance with the current international ESD standards. Compliance with the standards is also indicated by a label with the same or similar graphics as the image to the right. If you have a specific need for ESD clothing, you can ask for our help - we can make even one piece if you need it.

YOU DREAM IT - WE MAKE IT.









You can meet with our company and with our products on **PRODUCTRONICA** (Munich, Germany) International Trade Fair.



The quality of our products and the reliability of our company have been successfully able to hold the international markets, which resulting in that most of our production capacity is reserved for export sales.

Based on the feedbacks received from our partners, our slogan has become the following sentence:

"D ÉS TSA BT. OFFERS NOT ONLY PRODUCT BUT COOPERATION AS WELL."

We hope our products and services can greatly assist your work in the present and in the future.



Balázs Dulay Owner and Strategic director

ESD REQUIREMENTS

ACCORDING TO IEC 61340-4-9:2024

Common industry description/Use of garment system:	Garment type:	Test procedure:	Specific resistance values:
Garments with some electrical field suppression properties	Static control garment	Resistance point to point	< 1,0 × 10 ¹¹ Ω
Garments with a designated groundable point	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
Garment in continuous electrical path with a person; however, not the primary ground path	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
Grounded with dual paths to ground via Groundable static control garment		Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
continuous monitoring equipment that requires two separate paths to ground	system (garment in combination with person)	Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω
Grounded through a single wire constant	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10° Ω
monitor system system (garment in combination person)		Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω
Garment used as primary grounding Groundable static control garment		Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
path for personnel	system (garment in combination with person)	Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω



Our ESD clothing meets the above requirements.

For groundable ESD protective clothing, please use the additional order codes: GND (see the images on the right: wrist strap + conductive strip + snap button on the pocket) or **GNDR** (conductive elasticated cuff + conductive strip + snap button on the pocket).











OEKO-TEX® STANDARD 100 CERTIFICATE -

to prove that products are harmless for human health

For many of our products, models with OEKO-TEX® STANDARD 100 certification are also available.

"Oeko-Tex® Standard 100 is one of the world's best-known labels for textiles tested for harmful substances."


"If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health."

The test is conducted by independent OEKO-TEX® partner institutes on the basis of an extensive OEKO-TEX® criteria catalog. "In the test they take into account numerous regulated and non-regulated substances, which may be harmful to human health. In many cases the limit values for the STANDARD 100 go beyond national and international requirements."

Source: https://www.oeko-tex.com/en/our-standards/oeko-tex-standard-100







0

ESD WOVEN FABRICS

Туре	KK01	TH55	EECO01	CT35	TH65	MC24	CR10	CR10HI	WC10
Material	Woven	Woven	Woven	Woven	Woven	Woven	Woven (cleanroom)	Woven (cleanroom)	Woven (water repellent)
Polyester (%)	74	63	63	69	36	66	98	98	98
Cotton (%)	24	33	33	27	60	32	-	-	-
Conductive fibre (%)	2	4	4	4	4	2	2	2	2
Lycra (%)	-	-	-	-	-	-	-	-	-
Weight (g/m²)	125	155	150	130	160	240	115	115	115
Color	BK DZ DG GA LG W NB RB LB MG LE B R O	RB LB GA	RB LB W	w	w	DG	LB W	Y	NB
Page	1:	3	14	1	1	5	10	6	17

The color shades of our fabric products may vary from shipment to shipment.

ESD KNITTED FABRICS

Туре	TS15	e EECO-TS15	TS16	PS21	e EECO-PS21	LY20	THSS	THSB	FL1
Material	Knitted	Knitted	Knitted (Pique)	Knitted	Knitted	Knitted	Knitted	Knitted (Fluffy)	Fleece
Polyester (%)	-	-	-	47	48	-	48	48	96
Cotton (%)	96	96	96	50	48	88	48	48	-
Conductive fibre (%)	4	4	4	3	4	4	4	4	4
Lycra (%)	-	-	-	-	-	8	-	-	-
Weight (g/m²)	150	160	210	210	215	200	280	320	280
Color	BK NB RB DG GA B O GR W	DZ T BK NB RB GA	BK NB W	BK NB RB PR DG GA W	BK NB RB PR	BK	BK NB RB Y GA W	BK RB	BK NB DG O
Page	17	18			19	2	20	2	21

The color shades of our fabric products may vary from shipment to shipment.

KK01 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- **Composition:** 74% Polyester, 24% Cotton, 2% Conductive fibre
- **> Fabric weight:** 125 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali!

Drum drying with gentle programme (low temperature, maximum 50°C)

Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Black (**BK**), Dark Green (**DZ**), Dark Grey (**DG**), Grey (**GA**), Light Grey (**LG**), White (**W**), Navy Blue (**NB**), Royal Blue (**RB**), Light Blue (**LB**), Mint Green (**MG**), Light Green (**LE**), Burgundy (**B**), Red (**R**), Orange (**O**), Yellow (**Y**), Light Pink (**LPK**)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

TH55 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- **Composition:** 63% Polyester 33% Cotton 4% Conductive fibre
- > Fabric weight: 155 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali!

Drum drying with gentle programme (low temperature, maximum 50°C)

Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Royal Blue (RB), Light Blue (LB), Grey (GA), White (W)









The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.



EECO01 FABRIC

FEATURES

- Static dissipative woven fabric (carbon loaded yarns in 4 mm grid)
- > Composition: 63% Polyester 33% Cotton 4% Conductive fibre
- > Fabric weight: 150 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁹ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2 .1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Drum drying with gentle programme (low temperature, maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 22











O STANDARD COLORS

Royal Blue (RB), Light Blue (LB), White (W)








The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

CT35 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- **Composition:** 69% Polyester 27% Cotton 4% Conductive fibre
- **> Fabric weight:** 130 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 100 industrial washings
- Developed for industrial washing



Drum drying with gentle programme (low temperature, maximum 50°C)
Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLOR

White (W)

W

The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

TH65 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Composition: 36% Polyester 60% Cotton 4% Conductive fibre
- **Fabric weight:** 160 g/m²
- > Finish: Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Drum drying with gentle programme (low temperature, maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLOR

White (W)

W

The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

MC24 FABRIC

FEATURES

- Static dissipative woven fabric
- > Composition: 66% Polyester, 32% Cotton, 2% Conductive fibre
- **> Fabric weight:** 240 g/m²
- > Finish: Workwear
- > Resistance from point to point (Rp): 10⁷ 10¹¹ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- > Developed for industrial washing

Ironing at maximum 110 °C

Machine washable up to 40 °C

Do not use acid or alkali! Drum drying with gentle programme (low temperature, maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLOR

Dark Grey (DG)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

CR10 FABRIC

FEATURES

- Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Cleanroom fabric class 10000, ISO 7
- **Composition:** 98% Polyester 2% Conductive fibre
- **Fabric weight:** 115 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing













STANDARD COLORS

Light Blue (LB), White (W)




The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

CR10HI FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Cleanroom fabric class 10000, ISO 7
- > High Visibility fabric
- **Composition:** 98% Polyester 2% Conductive fibre
- **Fabric weight:** 115 g/m²
- > Finish: Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing













STANDARD COLORS

Orange (O), Yellow (Y)





The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

WC10 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Water repellent material, for outdoor use
- Cleanroom fabric class 10000, ISO 7
- **Composition:** 98% Polyester 2% Conductive fibre
- **> Fabric weight:** 115 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Drum drying with gentle programme (low temperature, maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLOR

Navy Blue (NB)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

TS15 FABRIC

FEATURES

- > Static dissipative knitted fabric (with carbon yarn)
- > Composition: 96% Cotton 4% Conductive fibre
- **> Fabric weight:** 150 g/m²
- **> Finish:** Crease resist, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Do not bleach:

Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Black (**BK**), Navy Blue (**NB**), Royal Blue (**RB**), Dark Grey (**DG**), Grey (**GA**), Burgundy (**B**), Orange (**O**), Dark Green (**GR**), White (**W**)

















W

The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.



EECO-TS15 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- Composition: 96% Cotton 4% Conductive fibre
- Fabric weight: 160 g/m²
- Finish: Crease resists, workwear
- Resistance from point to point (Rp): < 10⁹ Ohm
- Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Dark Green (DZ), Turquoise (T), black (BK), Navy Blue (NB), Royal Blue (RB), Grey (GA), White (W)















The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

TS16 FABRIC

FEATURES

- Static dissipative knitted **PIQUE** fabric (with carbon yarn)
- Composition: 96% Cotton 4% Conductive fibre
- Fabric weight: 210 g/m²
- Finish: Crease resists, workwear
- Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Black (BK), Navy Blue (NB), White (W)







The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

0

PS21 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- **Composition:** 50% Cotton 47% Polyester 3% Conductive fibre
- > Fabric weight: 210 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!













STANDARD COLORS

Black (**BK**), Navy blue (**NB**), Royal Blue (**RB**), Purple (**PR**), Dark Grey (**DG**), Grey (**GA**), White (**W**),



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

EECO-PS21 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- > Composition: 48% Cotton 48% Polyester 4% Conductive fibre
- **> Fabric weight:** 215 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): < 10⁹ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing

Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 22












STANDARD COLORS

Black (BK), Navy blue (NB), Royal Blue (RB), Purple (PR)



The color shades of our fabric products may vary from shipment to shipment.



LY20 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- > Composition: 88% Cotton 8% Lycra 4% Conductive fibre
- > Fabric weight: 200 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLOR

Black (BK)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

THSS FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- **Composition:** 48% Polyester 48% Cotton 4% Conductive fibre
- > Fabric weight: 280 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Black (**BK**), Navy blue (**NB**), Royal blue (**RB**), Yellow (**Y**), Grey (**GA**), White (**W**)













The color shades of our fabric products may vary from shipment to shipment.


The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

THSB FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- > Fluffy inner side
- **Composition:** 48% Polyester 48% Cotton 4% Conductive fibre
- > Fabric weight: 320 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing





Do not bleach!

Detailed washing instructions and warranty conditions on page 22











STANDARD COLORS

Black (BK). Royal blue (RB)





The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

FL1 FABRIC

FEATURES

- > Static dissipative knitted fabric (with carbon yarn)
- > Composition: 96% Polyester 4% Conductive fibre
- > Fabric weight: 280 g/m²
- **> Finish:** Fleece
- > Resistance from point to point (Rp): 10⁹ 10¹¹ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 23













STANDARD COLORS

Black (**BK**), Navy blue (**NB**), Dark grey (**DG**), Orange (**O**), Yellow (**Y**)











The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

WASHING INSTRUCTIONS

Conductive carbon fibres used in ESD fabrics are very sensitive to high temperatures, alkalis, acids, rinses (softeners) and bleaches. Inadequate use may cause damage to carbon fibres and ESD clothing may lose or significantly deteriorate ESD parameters. Therefore, wash ESD clothing very carefully, in each case please follow the instructions:

KK01, TH55, EECO01, CT35, TH65, MC24, CR10, CR10HI, WC10 FABRICS

- 1 In order to preserve the long life of ESD clothings, please use industrial laundries who can provide controlled, documented washing procedures and environment
- 1 Wash in cold or not warmer than 40 °C (104 °F) lukewarm water with neutral liquid detergent
- 1 Do not use detergents and / or rinse aids that contain bleach and / or chlorine
- Bleachers are forbidden
- 1 Do not use rinse aids or detergents with a high alkali or high acid content
- 1 Do not dry clean
- 1 Dry in the open air and / or with drum drying with gentle programme (low temperature, maximum 50 °C (120 °F))
- 1 Does not require ironing, but if absolutely necessary, iron at a maximum temperature of 110 °C (230 °F) without steaming
- Wash all items inside out
- 1 Using deodorant can damage the color of the product
- 1 When drying clothes outdoors, do not expose them to direct sunlight
- 1 Tighten the zippers before each wash











TS15, EECO-TS15, TS16, PS21, EECO-PS21, LY20, THSS, THSB FABRICS

- 1 In the case of knitted fabrics we suggest to determine personal size with measurement on washed clothes. The sizes given by us in size charts meant values before washing regarding products made from these fabrics.
- 1 We recommend, in order to preserve the conductivity of the garment in the long term, to entrust washing and drying processes to an industrial laundry where they can provide the necessary technological processes and conditions (documented washing procedures and suitable environment). Adapt the associated cleaning processes to the production technology (e.g. cleanroom requirements) of the product at the place of use.
- 1 If the used production technology does not require specific cleaning processes, do washing in cold or lukewarm water at a temperature not warmer than 40 °C (104 °F) with neutral (liquid) detergent.
- 1 Ironing of the garment is not necessary or recommended. If the user does iron the garment, iron at a maximum temperature of 110 °C (230 °F) without steaming.
- 1 Bleachers are forbidden. Do not use rinse aids or detergents with a high alkali or acid content. Do not use detergents and / or rinse aids that contain bleach and / or chlorine.
- 1 Do not use perfumes and deodorants as they may damage the fabric and the color of the product
- 1 Do not dry clean. Tumble drying is prohibited.
- 1 Wash all garments inside out
- 1 Do not expose clothing to direct UV rays. Tighten the zippers before each wash













FL1 FABRIC

- 1 In order to preserve the long life of ESD clothings, please use industrial laundries who can provide controlled, documented washing procedures and environment
- 1 Wash in cold or not warmer than 40 °C (104 °F) lukewarm water with neutral liquid detergent
- 1 Do not use detergents and / or rinse aids that contain bleach and / or chlorine
- 1 Bleachers are forbidden
- 1 Do not use rinse aids or detergents with a high alkali or high acid content
- 1 Do not dry clean
- 1 Dry in the open air. Tumble drying is prohibited. After centrifugation, hang dry only
- 1 Does not require ironing, but if absolutely necessary, iron at a maximum temperature of 110 °C (230 °F) without steaming
- Wash all items inside out
- 1 Using deodorant can damage the color of the product
- 1 When drying clothes outdoors, do not expose them to direct sunlight
- 1 Tighten the zippers before each wash













WARRANTY

- The warranty is strictly valid under controlled and documented industrial laundry conditions, concern the fabric washing cycle as specified in the technical data's.
- The warranty is NOT valid if the washing process is made in home environment!
- 1. The warranty covers ESD parameters and possible sewing errors according to IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018 standard issued only!
- 1 The warranty does not cover the size and shrinkage differences within the tolerances given at the size charts!
- Our clothing products are provided with the "Operating instructions with symbols" according to the EN ISO 3758:2023 standard.
- 1 If the product shows improper tampering (e.g. tread extension or tearing), the complaint can be rejected.













EFS ESD SMOCK 1/2 LENGTH

ESL ESD SMOCK 2/3 LENGTH

2/3 LENGTH

1/3 LENGTH



EFX ESD SMOCK 1/3 LENGTH



ET ESD MALE TROUSERS



ETF ESD FEMALE TROUSERS



OT ESD TROUSERS WITH BRIDLES



34

HIV ESD HIGH VISIBILITY VEST



KOT ESD TABARD



APR ESD APRON



BB ESD BASEBALL STYLE CAP



BP ESD CAP WITH NET

ESS ESD SMOCK

1/2 LENGTH

5TANDARD 100 253,0243

Models with **OEKO-TEX® STANDARD 100** certification are also available

Economy - products

with economy price

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*



STANDARD FABRICS AND COLORS



ORDERING CODE SAMPLE

IEC 61340-4-9:2024


ESS - KKO1 - LB L + DLB - RAN - W

company logos, lettering, custom designed ESD clothing.

style fabric color size

option color

Clothing certified according
to the international ESD
standards, as indicated by
this/similar label



Size tolerance (before washing): 2%



EFS ESD SMOCK

1/2 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*

STANDARD FABRICS AND COLORS





ORDERING CODE SAMPLE

EFS - KKO1 - W L + DLB - RAN - W

style

DETAILS ON PAGE 113

color size

option

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	78	80	82	84	88	90	92	94	96
Chest	90	98	106	114	122	130	136	142	148
Hin	90	00	106	11./	122	120	126	1/12	1/10

Size tolerance (before washing): 2%

Shoulder



Clothing certified according to the international ESD standards, as indicated by this/similar label





ESL ESD SMOCK

2/3 LENGTH

STANDARD 25.3.0243

are also available

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

CODE: AGL GROUNDING SMOCK - CODE: GND/GNDR

SHORT SLEEVED VERSION - CODE: SSL

WAIST KNITTER

STANDARD FABRICS AND COLORS



JANOITAC

STANDING

ORDERING CODE SAMPLE

ESL - KK01 - W L style fabric color size

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%





EFL ESD SMOCK

2/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

EFL - TH55 - LB L color size

DETAILS	ON	PAGE	113
PLIAILS	014	LAGE	1115

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



STANDARD 100









STANDARD 25.3.0243

Models with **OEKO-TEX® STANDARD 100** certification are also available

> Economy - products with economy price

SHORT SLEEVED VERSION - CODE: SSL **JANOITAC** STANDING WAIST KNITTER CODE: AGL GROUNDING SMOCK - CODE: GND/GNDR

» Cuff with snap-fasteners STANDARD FABRICS AND COLORS

» Hidden snap-fasteners




DEMO VIDEO



ORDERING CODE SAMPLE

ESX - TH55 - RB L style color size

fabric




You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	58	60	62	64	68	70	72	74	76
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%





EFX ESD SMOCK

1/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*

STANDARD FABRICS AND COLORS



ORDERING CODE SAMPLE

EFX - KKO1 - LE L + DLB - RAN - W

style fabric color size option color

DETAILS ON PAGE 113									
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	58	60	62	64	68	70	72	74	76
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label



ET ESD MALE TROUSERS

FEATURES

- » Standard sizes: Male XS 5XL
- » Straight cut
- » 2 side pockets, 2 additional pockets on the legs, 1 hip pocket with ESD logo
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS





DEMO VIDEO



ORDERING CODE SAMPLE

ET - KK01 - DG L color size



Clothing certified according to the international ESD O standards, as indicated by this/similar label



DETAILS ON FAGE III									
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	102	104	106	108	110	112	114	116	118
Hip	98	102	107	111	115	119	123	128	132

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

ETF ESD FEMALE TROUSERS




FEATURES

- » Standard sizes: Female XS 5XL
- » Straight cut
- » 2 side pockets, 2 additional pockets on the legs, 1 hip pocket with ESD logo
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS





ORDERING CODE SAMPLE





DEMO VIDEO



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	102	104	106	108	110	112	114	116	118
Hip	84	90	96	102	108	114	120	126	132

Clothing certified according to the international ESD standards, as indicated by this/similar label

Size tolerance (before washing): 2%

OT ESD TROUSERS WITH BRIDLES

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 front pocket with ESD logo
- » 2 side pockets on the legs
- » 2 quick release buckles



STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

OT - KKO1 - RB L color size



Clothing certified according to the international ESD ostandards, as indicated by this/similar label



	DETAILS ON PAGE ITS								
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	102	104	106	108	110	112	114	116	118
Hip	98	102	107	111	115	119	123	128	132

Size tolerance (before washing): 2%

OJ ESD JACKET



FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 2 breast pockets
- » ESD logo on chest pocket

- » Hidden zipper
- » Rubberized cuff

STANDARD FABRICS AND COLORS

KK01 FABRIC TH55 FABRIC CT35 FABRIC **TH65 FABRIC** LG **CR10 FABRIC CR10HI FABRIC** MC24 FABRIC

W

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE



OJ - KKO1 - RB L color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	61	63	67	71	75	76	77	77	78
Length	63	65	67	69	71	73	75	76	77
Chest	90	98	106	114	122	130	136	142	148
Shoulder	40	43	46	49	52	55	58	61	65
Shoulder-sleeve circumference	56	58	60	62	64	66	68	70	72



Clothing certified according to the international ESD standards, as indicated by this/similar label



HIV ESD HIGH VISIBILITY VEST

FEATURES

- » Standard sizes: Unisex S-5XL
- » With reflective stripes
- » ESD logo on the chest area
- » Hidden snap-fasteners

STANDARD FABRIC AND COLORS

CR10HI FABRIC





Not an occupational safety product




You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

HIV - CR10HI - O L fabric

style

color size




DEMO VIDEO



				DETAILS ON FACE ITS							
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	114	118	122	126	130	134	138	142	118		
Length	61	63	65	67	69	71	73	75	132		

Size tolerance (before washing): 2%

DETAILS ON PAGE 113



KOT ESD TABARD



Economy - products

with economy price



- » Standard sizes: XS 5XL
- » ESD logo on pocket
- » 1 pocket
- » Adjustable side straps with snap fasteners
- » Pullover type

STANDARD FABRICS AND COLORS



VIDEO / WEBPAGE



ORDERING CODE SAMPLE

KOT - KKO1 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL	
Length	76	78	80	82	84	86	88	90	92	
	Size tolerance (before washing): 29									





APR ESD APRON

FEATURES

- » Unisex, one size
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

APR - KK01 - BK color

VIDEO / WEBPAGE





BB ESD BASEBALL STYLE CAP







» Unisex, one size

- » Sun visor
- » Rubberized back

STANDARD FABRICS AND COLORS



ORDERING CODE SAMPLE

BB - KK01 - DG style fabric color



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.





BP ESD CAP WITH NET





Economy - products with economy price

FEATURES

- » Unisex, one size
- Breathable net on the top of the cap
- ESD logo
- » Plastic size adjuster on the back

STANDARD FABRICS AND COLORS

CT35 FABRIC

KK01 FABRIC



































TH55 FABRIC





W











EECOO1 FABRIC

TH65 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

BP - KK01 - LPK style fabric

color















PS2 ESD PREMIUM SMOCK
2/3 LENGTH



PS1 ESD PREMIUM SMOCK
2/3 LENGTH



PF3 ESD PREMIUM SMOCK
2/3 LENGTH



PF2 ESD PREMIUM SMOCK
2/3 LENGTH



PS3 ESD PREMIUM SMOCK
2/3 LENGTH

PF1 ESD PREMIUM SMOCK

2/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

OPTIONAL























Economy - products with economy price



CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF1 - KK01 - Y - DG L

style fabric color1 color2 size

DETAILS ON PAGE 113

SIZE CHART (CM) XS S XL XXL 3XL 4XL 5XL Cuff 32 33 34 35 36 36 37 37 38 Sleeve 57 59 74 63 67 71 71 73 73 89 Length 95 103 105 107 Chest 90 98 106 114 122 130 136 142 148 90 98 106 114 122 130 136 142 148 Hip Shoulder 36 39 42 48

Size tolerance (before washing): 2%









PS1 ESD PREMIUM SMOCK

OPTIONAL




2/3 LENGTH

FEATURES

- » Standard sizes: Male XS 5XL
- » 2 side pockets, 1 hidden breast pocket
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

KK01 FABRIC



RB LB

TH55 FABRIC
















LG







You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

PS1 - KK01 - O - RB

style

color1 color2 size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



DEMO VIDEO

STANDARD







PF2 ESD PREMIUM SMOCK

2/3 LENGTH

STANDARD 25.3.0243

Models with **OEKO-TEX® STANDARD 100** certification are also available

Economy - products

with economy price

DEMO VIDEO

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Rubberized cuff
- » ESD logo on the chest area

OPTIONAL



STANDARD FABRICS AND COLORS

KK01 FABRIC





TH55 FABRIC













CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF2 - KK01 - W - B

style

color1 color2 size

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

PS2 ESD PREMIUM SMOCK

OPTIONAL



FEATURES

2/3 LENGTH

- » Standard sizes: Male XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Rubberized cuff
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS



RB LB

TH55 FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.





ORDERING CODE SAMPLE

PS2 - KK01 - W - DZ L

style

fabric

color1 color2 size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Certified according to: IEC 61340-4-9-2024 ANS/JESO STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label





DEMO VIDEO





PF3 ESD PREMIUM SMOCK

2/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

OPTIONAL



STANDARD FABRICS AND COLORS

KK01 FABRIC



Models with **OEKO-TEX® STANDARD 100** certification are also available



Economy - products with economy price

DEMO VIDEO

TH55 FABRIC









CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF3 - KK01 - B - Y

LG

style

color1 color2 size

Clothing certified according to the international ESD standards, as indicated by

this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%

DETAILS ON PAGE 113



PS3 ESD PREMIUM SMOCK

OPTIONAL




FEATURES

2/3 LENGTH

- » Standard sizes: Male XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS








KK01 FABRIC









You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.





ORDERING CODE SAMPLE

PS3 - KK01 - NB - MG L

style

fabric

color1

color2 size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Certified according to:
IEC 61340-4-9:2024
ANSI/ESD STM2.1-2018

Clothing certified according
to the international ESD
standards, as indicated by
this/similar label





DEMO VIDEO




















DEMO VIDEO

ING ESD MALE BUSINESS SHIRT





- » Standard sizes: Male XS 5XL
- » Business style
- » 1 breast pocket

- » ESD logo on sleeve
- » Buttons



STANDARD FABRICS AND COLORS



ORDERING CODE SAMPLE

ING - KK01 - W L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD o standards, as indicated by this/similar label



XS	S	М	L	XL	XXL	3XL	4XL	5XL
56	58	60	62	64	66	68	70	70
66	68	70	72	74	76	78	80	80
94	100	106	112	118	124	130	136	142
39	41	43	45	47	49	51	54	57
23	24	25	26	27	28	29	30	31
	56 66 94 39	56 58 66 68 94 100 39 41	56 58 60 66 68 70 94 100 106 39 41 43	56 58 60 62 66 68 70 72 94 100 106 112 39 41 43 45	56 58 60 62 64 66 68 70 72 74 94 100 106 112 118 39 41 43 45 47	56 58 60 62 64 66 66 68 70 72 74 76 94 100 106 112 118 124 39 41 43 45 47 49	56 58 60 62 64 66 68 66 68 70 72 74 76 78 94 100 106 112 118 124 130 39 41 43 45 47 49 51	56 58 60 62 64 66 68 70 66 68 70 72 74 76 78 80 94 100 106 112 118 124 130 136 39 41 43 45 47 49 51 54

DETAILS ON PAGE 112



IFG ESD FEMALE BUSINESS SHIRT

FEATURES

- » Standard sizes: Female XS 5XL
- » ESD logo on sleeve
- » Buttons

Economy – products with economy price

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

IFG - KK01 - W L

DEMO VIDEO



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	56	58	60	62	64	66	68	70	70
Length	56	58	60	62	64	66	68	70	70
Chest	84	88	92	96	100	104	108	112	116
Shoulder	40	40	42	44	46	48	50	52	54
Cuff outline	21	22	23	24	25	26	27	28	29



NT ESD MALE SUITE PANTS

FEATURES

- » Standard sizes: Male XS 5XL
- » Straight cut
- » 2 side pockets, 1 hip pocket
- » ESD logo on the waist





Economy – products with economy price

STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

NT - KKO1 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



						DLI	AIL3	JINFA	OL 113
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Waist	80	84	88	92	96	100	104	109	113
Hip	98	102	107	111	115	119	123	128	132
Length external	102	104	106	108	110	112	114	116	118

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

NTF ESD FEMALE SUITE PANTS



0



FEATURES

- » Standard sizes: Female XS 5XL
- Straight cut
- » 2 side pockets
- » ESD logo on the waist

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

NTF - KK01 - BK L style fabric

color size

DEMO VIDEO



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Waist	68	72	76	80	84	88	92	97	101
Hip	98	102	107	111	115	119	123	128	132
Length external	102	104	106	108	110	112	114	116	118

Size tolerance (before washing): 2%



SKI ESD SKIRT



FEATURES

- » Standard sizes: XS 5XL
- » Length: knee-high
- » Pencil style
- » With ESD logo



STANDARD FABRICS AND COLORS



VIDEO / WEBPAGE



ORDERING CODE SAMPLE

SKI - KKO1 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD O standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Waist	76	80	84	88	92	96	100	104	108		
Hip	98	102	106	110	114	118	122	126	130		
Length	59	61	63	65	67	69	71	71	71		

Size tolerance (before washing): 2%

DETAILS ON PAGE 113















TKO/F ESD T-SHIRT ROUND NECK, NO POCKET

ROUND NECK, BREAST POCKET

ROUND NECK, NO POCKET

ROUND NECK, BREAST POCKET

V-NECK, NO POCKET

63

TGZ/F ESD T-SHIRT



LGO/F ESD T-SHIRT

65

LGZ/F ESD T-SHIRT



PGO/F ESD POLO-SHIRT



PGZ/F ESD POLO-SHIRT

V-NECK, BREAST POCKET V-NECK, NO POCKET

V-NECK, BREAST POCKET

COLLAR, NO POCKET

COLLAR, BREAST POCKET



69 **QGO/F ESD POLO-SHIRT QGZ/F ESD POLO-SHIRT** COLLAR, NO POCKET





COLLAR, BREAST POCKET

ROUND NECK, NO POCKET



SHORT SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS





Economy - products with economy price



NB

ORDERING CODE SAMPLE



Shoulder

The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chost	100	106	110	110	12.4	120	126	1/12	1/10

Size tolerance (before washing): 2%

Clothing certified according to the international ESD standards, as indicated by this/similar label

VIDEO / WEBPAGE







TKZ/F ESD T-SHIRT

SHORT SLEEVE, ROUND NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS





EECO-TS15 FABRIC





































The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.











PS21 FABRIC





ORDERING CODE SAMPLE

TKZF - TS15 - GA L style

color size


VIDEO / WEBPAGE











SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60







LONG SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS





Economy - products with economy price





LKOF - TS15 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112




VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%









LONG SLEEVE, ROUND NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS





EECO-TS15 FABRIC



























The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.













ORDERING CODE SAMPLE

LKZF - TS15 - GA

color size

VIDEO / WEBPAGE







The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.





SHORT SLEEVE, V-NECK, NO POCKET

• FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS







ORDERING CODE SAMPLE

TGOF - TS15 - GR L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

Clothing certified according to the international ESD o standards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

VIDEO / WEBPAGE







SHORT SLEEVE, V-NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS





EECO-TS15 FABRIC













RB





















The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

















ORDERING CODE SAMPLE

TGZF - TS15 - NB L

color size

The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

28	29,5	31
81	84	87
136	142	148
54	57	60
	136	136 142



Clothing certified according to the international ESD standards, as indicated by this/similar label

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



LONG SLEEVE, V-NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS







The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

LGOF - TS15 - GR L style color size

> The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

Clothing certified according to the international ESD standards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%







LONG SLEEVE, V-NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS



























RB















The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

EECO-PS21 FABRIC









PS21 FABRIC







LGZF - TS15 - NB fabric

color size





VIDEO / WEBPAGE

The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.





PGO/F ESD POLO-SHIRT

SHORT SLEEVE, COLLAR, NO POCKET

FEATURES

- OPTIONAL
- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL Collar from its own fabric
- » Female model: Slim style
- » Without any pocket
- » ESD logo on sleeve
- » Hidden snap-fasteners

CODE: SAA

STANDARD FABRICS AND COLORS

RB



Models with **OEKO-TEX® STANDARD 100** certification are also available

Economy – products with economy price

VIDEO / WEBPAGE

TS15 FABRIC 0



TS16 FABRIC


























The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE



color size

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD standards, as indicated by this/similar label



The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2% We suggest to determine personal size with measurement on washed clothes.

PGZ/F ESD POLO-SHIRT

SHORT SLEEVE, COLLAR, BREAST POCKET

OPTIONAL

 Collar from its own fabric CODE: SAA

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Breast pocket with ESD logo
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS16 FABRIC











RB












The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

You can contact us too for customized embroidered or screen printed company logos, lettering,

custom designed ESD clothing.















ORDERING CODE SAMPLE

PGZF - PS21 - RB L

fabric

color size






Economy - products with economy price

VIDEO / WEBPAGE







DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.

QGO/F ESD POLO-SHIRT

LONG SLEEVE, COLLAR, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Without any pocket
- » ESD logo on sleeve
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS15 FABRIC

OPTIONAL

EECO-TS15 FABRIC

Collar from its own fabric

CODE: SAA







VIDEO / WEBPAGE











TS16 FABRIC

The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

QGZ/F ESD POLO-SHIRT

LONG SLEEVE, COLLAR, BREAST POCKET

OPTIONAL

Collar from its own fabric
 CODE: SAA

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Breast pocket with ESD logo
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS16 FABRIC


















The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



RB





i

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

QGZF - PS21 - RB L

fabric co

color size






VIDEO / WEBPAGE








DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.



SHORT SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Slim style, stretch material
- » Round neck
- » Short sleeve

- » Without any pocket
- » ESD logo on sleeve
- » Comfortable, breathable

STANDARD FABRIC AND COLOR

LY20 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

TLY - LY20 - BK L style

Shoulder

fabric

Clothing certified according to the international ESD standards, as indicated by this/similar label


DEMO VIDEO



		DETAILS AND TEMALE SIZE CHART OUT AGE T										
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL			
Sleeve	19,5	20,5	21,5	22,5	23,5	25	26,5	28	29,5			
Length	56	59	62	65	68	71	74	77	80			
Chest	94	100	106	112	118	124	130	136	142			

Size tolerance (before washing): 2%

The sizes given here meant values before washing. DETAILS AND FEMALE SIZE CHART ON PAGE 112



RGA ESD SHORTS

FEATURES

- » Standard sizes: Male XS 5XL
- » Straight style
- » 2 side pockets, 1 hip pocket with ESD logo
- » 1 side pocket on the leg
- » 1 tool pocket on the leg
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

RGA - TH55 - RB L style fabric color size with economy price

Economy - products

DEMO VIDEO



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	49	51	53	55	57	59	61	63	65
Hip	98	102	107	111	115	119	123	128	132

Certified according to:
IEC 61340-9:2024
ANSVESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label

















SHORT ZIPPER

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » With short zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC





















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

CAS - THSS - RB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	108	112	116	120	124	130	136	142	148		
Length	64	66	68	70	72	74	76	78	80		
Sleeve	72	74	76	78	80	82	84	84	85		

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

CAL ESD CARDIGAN

LONG ZIPPER

FEATURES

- » Standard sizes: Unisex XS 5XL
- » With full length zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing. After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

CAL - THSS - NB L

style

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	108	112	116	120	124	130	136	142	148
Length	64	66	68	70	72	74	76	78	80
Sleeve	72	74	76	78	80	82	84	84	85

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label





LONG ZIPPER, STANDING COLLAR

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Standing collar
- » With full length zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

CAL-H - THSS - GA L

style

fabrio

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD ostandards, as indicated by this/similar label

VIDEO / WEBPAGE



	DETAILS ON FASE ITS											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL			
Chest	108	112	116	120	124	130	136	142	148			
Length	64	66	68	70	72	74	76	78	80			
Sleeve	72	74	76	78	80	82	84	84	85			

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

SWS ESD SWEATSHIRT

ROUND NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Round neck
- » ESD logo on the chest area
- » ESD cuff

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SWS - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	108	112	116	120	124	130	136	142	148
Length	64	66	68	70	72	74	76	78	80
Sleeve	72	74	76	78	80	82	84	84	85

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label





V-NECK

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » ESD logo on the chest area
- » ESD cuff

STANDARD FABRICS AND COLORS

THSS FABRIC





















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SGS - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON FACE IIS											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	108	112	116	120	124	130	136	142	148		
Length	64	66	68	70	72	74	76	78	80		
Sleeve	72	74	76	78	80	82	84	84	85		

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

DEMO VIDEO

SKS ESD HOODED SWEATSHIRT

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Hood with drawstring
- » With ESD logo on sleeve
- » ESD cuff
- » Kangaroo pocket

STANDARD FABRICS AND COLORS

THSS FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SKS - THSS - BK L

stvle

abric

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	52	53	57	61	63	65	67	67	68
Length	64	66	68	70	72	74	76	76	76
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.



81



ROUND NECK

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Round neck
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SGW - THSS - BK L

style

fabric

color size

Clothing certified according to the international ESD standards, as indicated by this/similar label



	DETAILS ON PAGE I											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL			
Chest	100	106	112	118	124	130	136	142	148			
Length	63	66	69	72	75	78	81	84	87			
Shoulder	41	43	45	47	49	51	54	57	60			

Size tolerance (before washing): 2%

The sizes given here meant values before washing.

We suggest to determine personal size with measurement on washed clothes.

SWW ESD VEST

V-NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SWW - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	100	106	112	118	124	130	136	142	148
Length	63	66	69	72	75	78	81	84	87
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label



SWW-Z ESD VEST

V-NECK, ZIPPER

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » With full length zipper
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SWW-Z - THSS - GA L

VIDEO / WEBPAGE



Clothing certified according to the international ESD standards, as indicated by

this/similar label



The sizes given here meant values before washing. **DETAILS ON PAGE 113** SIZE CHART (CM) XL XXL 3XL 4XL 5XL

106 118 Chest 100 112 124 130 136 142 148 Length 63 66 69 72 75 78 81 84 87 49 51 54 57 43 45 60 Shoulder

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

VES-S ESD QUILTED VEST

V-NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Quilted lining
- » Hidden snap-fasteners
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof

STANDARD FABRIC AND COLOR

CT35 FABRIC

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

VES-S - CT35 - W L

style

fabric

color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	110	118	126	132	138	144	150	154
Length	64	66	68	70	72	74	76	78	80

Clothing certified according to the international ESD standards, as indicated by this/similar label



DEMO VIDEO

VES-H ESD QUILTED VEST

ZIPPER, STANDING COLLAR

O FEATURES

- » Standard sizes: Unisex XS 5XL
- » Quilted lining
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof

STANDARD FABRIC AND COLOR

CT35 FABRIC

W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

VES-H - CT35 - W L

style

abric

color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



DETAILS SITT AGE II											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	102	110	118	126	132	138	144	150	154		
Length	64	66	68	70	72	74	76	78	80		

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

VES-T ESD VEST

QUILTED LINING



FEATURES

- » Standard sizes: Unisex XS 5XL
- » White, quilted lining
- » Zipper
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

KK01 FABRIC

O

TH55 FABRIC

CR10HI FABRIC

WC10 FABRIC

NB

RB

LB

GA

W

O

Y

NB

NB

RB

LB

MG

LE

CR10 FABRIC

CT35 FABRIC

CT35 FABRIC

RB

LB

W

RB

LB

W

W

RB

LB

W

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

VES-T - KKO1 - B L color size

VIDEO / WEBPAGE



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	90	98	106	114	122	130	136	142	148
Length at the back	70	71	72	73	74	75	76	77	78

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label



LONG ZIPPER AND COLORED INSERTS

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Coloured inserts: CR10HI-O or Y
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC



FOR COLORED INSERTS

CR10HI FABRIC





style

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

fabric

FCU - FL1 - BK / Y

color

VIDEO / WEBPAGE



Clothing certified according to the international ESD standards, as indicated by this/similar label



						DLI	AIL3 (JIVFA	GL 112
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	65	68	71	74	77	80	83	86	89
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Size tolerance (before washing): 2%

FCF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER AND COLORED INSERTS

FEATURES

- » Standard sizes: Female XS 5XL
- » Coloured inserts: CR10HI-O or Y
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FOR COLORED INSERTS

FL1 FABRIC
O



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FCF - FL1 - NB / O

Style

abric

color

colored

lored SiZe

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Certified according to: IEC 61340-4-9:2024 ANS/ESO STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label





LONG ZIPPER AND INSIDE COLORED COLLAR

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Coloured inserts
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC



FOR COLORED INSERTS

FL1 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

style

fabric color

Clothing certified according to the international ESD standards, as indicated by

VIDEO / WEBPAGE



						DLI	AIL3 (JIVFA	GL 112
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	65	68	71	74	77	80	83	86	89
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Size tolerance (before washing): 2%

this/similar label

FBF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER AND INSIDE COLORED COLLAR

FEATURES

- » Standard sizes: Female XS 5XL
- » Coloured inserts
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FOR COLORED INSERTS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FBF - FL1 - NB / O L style fabric color colored size

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Certified according to:
IEC 61340-4-9:2024
ANSI/ESO STH2,1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label

Size tolerance (before washing): 2%



LONG ZIPPER

VIDEO / WEBPAGE

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Standing collar
- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRIC AND COLORS

FL1 FABRIC













You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

FSU - FL1 - DG L

style

fabric

color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



							AILS V		OL 112
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	65	68	71	74	77	80	83	86	89
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Size tolerance (before washing): 2%

DETAILS ON PAGE 112

FFF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER

FEATURES

- » Standard sizes: Female XS 5XL
- » Standing collar
- » ESD logo on sleeve

- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRIC AND COLORS

FL1 FABRIC









You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FFF - FL1 - O

style

color size

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Clothing certified according to the international ESD standards, as indicated by this/similar label





STANDING COLLAR

DEMO VIDEO

o FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » ESD logo on the chest area
- » 2 side pockets
- » Hidden zipper

O STANDARD FABRIC AND COLOR

WC10 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

WJ - WC10 - NB L

yle

abric

color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



	DITALE ON FACE II										
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	124	128	132	136	140	144	148	152	156		
Sleeve	62	63	64	65	68	68	69	69	70		
Length	78	79	80	81	82	83	84	85	86		

Size tolerance (before washing): 2%

DETAILS ON PAGE 112

WW ESD WINTER VEST

STANDING COLLAR

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » ESD logo on the chest area
- » 2 side pockets
- » Hidden zipper

STANDARD FABRIC AND COLOR

WC10 FABRIC



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

WW - WC10 - NB L

color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	130	132	136	140	144	150	154	158	162
Length	70	71	72	73	74	75	76	77	78

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label



DEMO VIDEO



FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » 2 side pockets, 1 front pocket with ESD logo
- » 2 side pockets on legs
- » 2 quick release buckles

O STANDARD FABRIC AND COLOR

WC10 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

<u>WN - WC10 - NB L</u>

tyle

fabric

color size

Clothing certified according to the international ESD o standards, as indicated by this/similar label



DETAILS ON PAGE 11													
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL				
Length external	104	106	108	110	112	114	116	118	119				
Hip	102	107	111	115	119	123	128	132	136				
Bridle length	62	63	64	64	66	66	68	68	70				

Size tolerance (before washing): 2%




WH ESD WINTER HAT

FEATURES

- » Standard sizes: Unisex, one size
- » With ESD logo
- » Comfortable
- » Warm and breathable

STANDARD FABRICS AND COLORS

PS21 FABRIC



FL1 FABRIC





























You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

WH - PS21 - NB

style

fabric

color

DEMO VIDEO



Clothing certified according to the international ESD standards, as indicated by this/similar label







WS ESD SCARF

FEATURES

- » Standard sizes: Unisex, one size
- » With ESD logo
- » Comfortable
- » Warm and breathable

STANDARD FABRICS AND COLORS

PS21 FABRIC





















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



DEMO VIDEO



ORDERING CODE SAMPLE

WS - PS21 - NB style fabric color







Clothing certified according to the international ESD standards, as indicated by this/similar label

UTB ESD UTILITY BAG



DIMENSIONS

» 220 x 100 x 100 mm



0

DIMENSIONS

- » 120 mm diameter
- » 290 mm length

CONTACT US IF YOU HAVE DEMAND FOR CUSTOMIZED ESD CLOTHING, ESD CLOTHING PRODUCT.





DIMENSIONS

- » Width: 240 mm
- » Height: 160 mm
- » Depth: 25 mm
- » Upper zipper length: 180 mm» Lower zipper length: 160 mm



KV1 ESD ARM COVER

INDICATIVE DIMENSIONS

- » XS 270 mm diameter, 450 mm length
- » S 400 mm diameter, 600 mm length
- » M 500 mm diameter, 600 mm length
 - L 600 mm diameter, 700 mm length



0

NH ESD WASHABLE HAIR NET BPK CAP WITH BUN HOLDER

CONTACT US IF YOU HAVE DEMAND FOR CUSTOMIZED ESD CLOTHING, ESD CLOTHING PRODUCT.



COVER ESD COVER



0

CURT ESD CURTAIN











COV CLEANROOM COVERALL

COVH CLEANROOM COVERALL

WITH HOOD

106

FCH CLEANROOM FULL COVER HOOD



FMS CLEANROOM FACE MASK



STG CLEANROOM SHOES WITH TEXTILE GAITER



FEATURES

- » Standard sizes: 3XS 4XL
- » Double covered front zipper
- » Adjustable waistband inside
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist and ankle ends
- » ESD logo on the chest area

STANDARD FABRIC AND COLORS

CR10 FABRIC







Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

COV - CR10 - LB L

style

fabric

color size

OPTIONAL

Company logo

Chest, hip or bottom pockets

• Card holder, pen holder

Clothing certified according to the international ESD O standards, as indicated by this/similar label

VIDEO / WEBPAGE



								DETAILS ON PAGE						
SIZE CHART (CM)	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL				
Chest circumference	113,5	119,0	125,5	131,5	135,5	143,0	151,5	155,0	160,0	166,0				
Waist circumference	90,0	93,5	99,0	103,5	109,0	116,5	124,5	133,0	140,0	150,0				
Hip circumference	106,0	111,0	114,0	119,0	122,0	128,0	136,0	150,0	155,0	162,0				
Back length to the hip	51,0	54,0	55,0	55,5	58,0	60,0	62,0	64,5	70,0	75,0				
Side length	99,5	103,0	105,5	107,0	112,0	119,0	124,0	127,0	135,5	139,0				
Inseam length	70,5	73,5	75,0	77,0	79,0	86,0	91,0	94,5	100,0	103,0				
Thigh circumference	59,0	61,0	63,0	66,0	70,0	72,0	76,0	79,0	82,0	86,0				
Upper arm circumference	39,0	42,0	45,0	49,0	50,0	53,5	56,0	57,0	58,0	60,0				
Sleeve length from the neck area	74,0	75,0	76,0	79,0	80,0	82,0	85,0	86,0	88,0	90,0				

Size tolerance (before washing): 3%; shrinkage after cleaning: 3-5%

DETAILS ON DAGE 114

COVH CLEANROOM COVERALL

OPTIONAL

0

- Chest, hip or bottom pockets
- Card holder, pen holder
- Company logo

- » Standard sizes: 3XS 4XL
- » Double covered front zipper
- » Adjustable waistband inside
- » Snaps at neck
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist and ankle ends

WITH INTEGRATED HOOD

FEATURES O

- » Open face area
- » Adjustable by snaps at the back of hood
- » Snap-fasteners for face mask
- » ESD logo on the chest area

STANDARD FABRIC AND COLORS

CR10 FABRIC



W

Individual custom made ESD clothing is also available



ORDERING CODE SAMPLE

COVH - CR10 - W L style fabric color size

DETAILS ON PAGE 114

SIZE CHART (CM)	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Chest circumference	113,5	119,0	125,5	131,5	135,5	143,0	151,5	155,0	160,0	166,0
Waist circumference	90,0	93,5	99,0	103,5	109,0	116,5	124,5	133,0	140,0	150,0
Hip circumference	106,0	111,0	114,0	119,0	122,0	128,0	136,0	150,0	155,0	162,0
Back length to the hip	49,0	52,0	53,0	53,5	56,0	58,0	60,0	62,5	68,0	71,0
Side length	99,5	103,0	105,5	107,0	112,0	119,0	124,0	127,0	135,5	143,0
Inseam length	70,5	73,5	75,0	77,0	79,0	86,0	91,0	94,5	100,0	103,0
Thigh circumference	59,0	61,0	63,0	66,0	70,0	72,0	76,0	79,0	82,0	86,0
Forehead circumference	60,0	60,0	60,0	61,0	63,0	65,0	68,0	71,0	74,0	77,0
Face opening circumference	76,0	77,0	78,0	80,0	82,0	84,0	86,0	88,0	90,0	92,0

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%







Clothing certified according to the international ESD standards, as indicated by this/similar label



FEATURES

- » Standard sizes: 3XS-4XL
- » Double covered front zipper
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist ends
- » Extra long coat
- » ESD logo on the chest area

STANDARD FABRIC AND COLORS

CR10 FABRIC



W



Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

COA - CR10 - LB L

е

abric

color size

OPTIONAL

Chest, hip or bottom pockets

Adjustable waistband inside

Card holder, pen holder

Company logo

Clothing certified according to the international ESD o standards, as indicated by

this/similar label

VIDEO / WEBPAGE



							L	JE I AIL:	ON PA	AGE 114
SIZE CHART (CM)	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Chest circumference	113,5	119,0	125,5	131,5	135,5	143,0	151,5	155,0	160,0	166,0
Waist circumference	105,5	109,0	115,0	117,0	126,0	131,5	138,0	143,5	150,0	160,0
Hip circumference	113,0	117,0	121,0	123,5	131,0	140,5	145,5	150,0	155,0	162,0
Back length	109,0	111,0	113,0	114,5	119,0	124,0	125,5	125,5	125,5	125,5
Neck circumference	39,0	40,5	41,5	43,0	44,0	45,5	51,0	52,0	54,0	55,0
Upper arm circumference	41,0	44,0	46,5	49,0	50,5	53,0	56,0	57,0	58,5	61,5
Sleeve length from the neck area	73,0	75,0	77,0	80,0	82,5	83,5	86,0	87,5	88,0	90,5

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%

JAC CLEANROOM JACKET AND TRU CLEANROOM TROUSERS

O JACKET FEATURES

- » Standard sizes: 3XS-4XL
- » Front zipper
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist ends
- » ESD logo on the chest area

OPTIONAL

- Chest, hip or bottom pockets
- Card holder, pen holder
- Company logo

ORDERING CODE SAMPLE

JAC - CR10 - W

fabric

color size

TROUSERS FEATURES

- » Standard sizes: 3XS-4XL
- » Adjustable waistband
- » Conductive elasticated cuffs at the ankle ends
- » With ESD logo

OPTIONAL

- Pockets
- Company logo

ORDERING CODE SAMPLE

TRU - CR10 - W

style

fabric

color size

STANDARD FABRIC AND COLORS

CR10 FABRIC





DETAILS ON PAGE 115 Size charts (cm)

JAC CLEANROOM JACKET	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Chest circumference	106,0	109,0	112,0	116,0	124,0	131,0	136,0	141,0	146,0	154,0
Waist circumference	99,0	102,0	105,0	109,0	117,0	124,0	129,0	134,0	139,0	147,0
Hip circumference	115,0	118,0	121,0	125,0	133,0	140,0	145,0	150,0	155,0	163,0
Back length	73,5	75,5	78,5	81,5	85,5	88,0	90,0	92,5	94,0	94,0
Neck circumference	45,0	46,5	47,5	48,0	50,0	55,0	57,0	59,0	59,0	59,0
	0)/0	2010	V.O				201	204	0)//	43/4
TRU CLEANROOM TROUSERS	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Waist circumference (Contracted)	75,0	78,0	XS	83,0	M 87,0	90,0	99,0	103,0	107,0	114,0
Waist circumference (Contracted)	75,0	78,0	80,0	83,0	87,0	90,0	99,0	103,0	107,0	114,0
Waist circumference (Contracted) Waist circumference (Expanded)	75,0 98,0	78,0 102,0	80,0 104,0	83,0 108,0	87,0 113,0	90,0 116,0	99,0 128,0	103,0 133,0	107,0 138,0	114,0 146,0
Waist circumference (Contracted) Waist circumference (Expanded) Crotch circumference	75,0 98,0 108,0	78,0 102,0 111,0	80,0 104,0 114,0	83,0 108,0 118,0	87,0 113,0 120,0	90,0 116,0 123,0	99,0 128,0 133,0	103,0 133,0 138,0	107,0 138,0 143,0	114,0 146,0 149,0

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%







Clothing certified according to the international ESD standards, as indicated by this/similar label



Individual custom made ESD clothing is also available

FCH CLEANROOM FULL COVER HOOD

FEATURES

- » Standard sizes: XXS-XXL
- » Front zipper
- » Flat top
- » Adjustable by snaps behind
- » Open face
- » Snap-fasteners for face mask
- » With ESD logo

STANDARD FABRIC AND COLORS

CR10 FABRIC





Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

FCH - CR10 - LB L color size

OPTIONAL

Company logo

VIDEO / WEBPAGE

Clothing certified according to the international ESD O standards, as indicated by this/similar label

DETAILS ON PAGE 115

	DETAILS STORES							
SIZE CHART (CM)	XXS	XS	S	М	L	XL	XXL	
E	23,5	24,5	26,0	26,0	28,5	28,5	28,5	
н	13,0	14,0	15,0	16,0	17,0	17,0	17,0	
A1	52,0	55,0	58,0	61,0	63,5	66,0	69,0	
G	6,0	6,0	6,0	6,0	6,5	6,5	6,5	
S	21,0	21,0	21,0	21,0	21,0	21,0	21,0	

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%

FMS CLEANROOM FACE MASK




- » One size
- » With snaps that can be attached to a hood
- » For COVH or FCH products, not usable on its own.

STANDARD FABRIC AND COLORS

CR10 FABRIC







FEATURES O

ORDERING CODE SAMPLE

FMS - CR10 - W







VIDEO / WEBPAGE

DETAILS ON PAGE 115

0

SIZE CHART (CM)	Size
Α	25,0
В	6,0
С	31,0
D	30,0

STG CLEANROOM SHOES WITH TEXTILE GAITER

FEATURES

- » Front zipper
- » Comfortable shoes
- » Conductive soles
- » Adjustable ribbon with velcro
- » With ESD logo

O STANDARD FABRIC AND COLOR

CR10 FABRIC





Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

STG - CR10 - W 41 style fabric color size

VIDEO / WEBPAGE



STANDARD SIZES

35.5 36.5


37

38.5 39.5

40

41,5 42,5


44 45,5 47



PGO/F PGZ/F TGO/F TGZ/F
TKO/F TKZ/F TLY

O DESCRIPTION

- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder



SIZE CHART FOR FEMALE SHORT SLEEVE T-SHIRTS AND POLO-SHIRTS

PGOF PGZF TGOF TGZF TKOF TKZF


SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	82	86	91	96	102	110	114	118	122
Waist	66	70	75	80	86	94	98	104	108
Hip	90	94	99	105	111	117	123	129	135
Shoulder	39	40	41	42	43	44	45	46	47

Size tolerance (before washing): 2%

ING IFG LGO/F LGZ/F LKO/F LKZ/F QGO/F QGZ/F SKS WJ FCU FCF FBU FBF FSU FFF

DESCRIPTION

- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder
- 5. Cuff



SIZE CHART FOR FEMALE LONG SLEEVE T-SHIRTS AND POLO-SHIRTS

LGOF LGZF LKOF LKZF QGOF QGZF

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	82	86	91	96	102	110	114	118	122
Waist	66	70	75	80	86	94	98	104	108
Hip	90	94	99	105	111	117	123	129	135
Shoulder	39	40	41	42	43	44	45	46	47

Size tolerance (before washing): 2%

0


EFL EFS EFX ESL ESS ESX OJ
PF1 PS1 PF2 PS2 PF3 PS3


DESCRIPTION

1. Chest

- 5. Cuff
- 2. Shoulder
- 6. Hip

- 3. Sleeve
- 4. Length






HIV SGW SWW SWW-Z VES-H VES-S VES-T WW

DESCRIPTION


- 1. Chest
- 2. Length (length at the back in the case of VES-T)
- 3. Shoulder



CAS CAL CAL-H SWS SGS

o DESCRIPTION


- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder
- 5. Cuff



ET ETF NT NTF OT RGA WN

O DESCRIPTION


- 1. Hip
- 2. Length external



SKI

DESCRIPTION

- 1. Waist
- 2. Hip
- 3. Length





COV COVH

DESCRIPTION

- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length to the hip
- 5. Side length
- 6. Inseam length
- 7. Thigh circumference
- 8. Upper arm circumference

- 9. Sleeve length from the neck area
- 10. Forehead circumference
- 11. Face opening circumference






COA

o DESCRIPTION

- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length
- 5. Neck circumference
- 6. Upper arm circumference
- 7. Sleeve length from the neck area






JAC

o DESCRIPTION


- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length
- 5. Neck circumference




TRU

ODESCRIPTION


- 1. Waist circumference (Contracted)
- 2. Waist circumference (Expanded)
- 3. Crotch circumference
- 4. Trousers length
- 5. Inseam
- 6. Thigh circumference



FCH



FMS





LOGO DESIGN

Upon request, we can customize your clothing with your company logo or a personalized inscription.

Please send your logo in *.jpg format via e-mail, we will prepare our offer to you.









D és Tsa Bt.

Office and Warehouse:

2600 Vác, Galcsek u. 8-10. Phone: +36 27 502 555 Email: sales@destsa.hu Web: www.dlb.hu

