


# BGA Rework




## InfraRed

**PACE's InfraRed Systems** can easily install and remove BGA, QFN,  $\mu$ BGA/CSP, Flip Chip and other SMD's. Featuring a 500W infrared (IR) top heater and a 1000W IR bottom preheater, the IR3100 does not require nozzles. A specially-developed IR pyrometer provides non-contact, real-time, closed-loop temperature control throughout the reflow process. A Sodr-Cam Reflow Camera comes standard, allowing you to watch the entire reflow process in real time. The IR 3100's newly designed Windows-based software makes profiling incredibly simple for even the most advanced applications, providing intuitive set-up, multi-stage profiling, on-the-fly profile adjustment, flux-dipping, unlimited profile storage and much more.



**The Closed-Loop, Non-Contact IR Pyrometer** monitors and controls the ramp-rate and temperature of the component in real time, by controlling the top and bottom heaters' output throughout the reflow process.



### IR3100

PN: 8007-0586 (120 V), 8007-0587 (230 V)

The IR3100 includes 1550 Watts of total power. Can rework PCBs up to 12" x 12" (305mm x 305mm). Includes an 1000 Watt bottom side pre-heater with an adjustable height of 1.5" (38mm). Also comes with 6 different sized vacuum picks.




### IR4100

PN: v (120 V), 8007-0592 (230 V)

The IR4100 includes 2400 Watts of total power. Can rework PCBs up to 24" x 24" (610mm x 610mm). The bottom-side pre-heater includes a 1000 Watt central heater and (6) 150 Watt periphery heaters that can be independently controlled.

## ThermoFlo®

**PACE's ThermoFlo® Systems'** patented Inductive-Convection Heating Technology reaches the target temperature in just seconds for safe, rapid solder joint reflow in virtually any component installation or removal application, while using only a fraction of the power required by yesterday's conventional heating technology. The units contain PACE's latest advanced Profiling Software, a 1080p Vision Overlay system for precise component placement and much more...



The **Inductive Convection Heater** pre-heats the air in a cyclonic fashion around the induction coil before entering the inner chamber, where the air is instantly heated to the target temperature. The low thermal mass design then allows the coil to cool down at a faster rate, consistently yielding high quality solder joints.

To view a complete list of Heat-Focusing Nozzles available for the ThermoFlo® Systems Please visit [Paceworldwide.com](http://Paceworldwide.com) for more information.



### TF1800

PN: 8007-0574 (120 V), 8007-0575 (230 V)

The TF1800 includes 1500 Watts of total power. Can work rework PCBs up to 12" x 12" (305mm x 305mm). Includes an adjustable bottom-side pre-heater with 1000 Watts of power and an adjustable height of 1.5" (38mm).



### TF2800

PN: 8007-0582 (120 V), 8007-0583 (230 V)

The TF2800 includes 2400 Watts of total power. Can rework PCBs up to 24" x 24" (610mm x 610mm). The bottom-side pre-heater includes a 1000 Watt central heater and (6) 150 Watt periphery heaters that can be independently controlled.

# Fume Extraction



## Why is fume extraction needed?

Where manual soldering is being performed or where solder-pots/fountains are utilized, hazardous fumes are produced and workers need to be protected from them. For more information on other collection accessories and replacement filters, please go to [www.paceworldwide.com](http://www.paceworldwide.com).

## Arm-Evac 150

PN: 8889-0150-P1 (120 V) 8889-0155-P1 (230 V)

PACE's Arm-Evac® 150 captures hazardous fumes locally and is suitable for bench top soldering and electronic rework applications. The low-cost Arm-Evac 150 System comes complete with self-supporting SteadyFlex ESD-Safe Arm/Nozzle assembly, Wireless Remote Control and 3-stage filtration system... everything you need to set up one operator!



Steady Flex™ ESD-Safe Arm Nozzle Assembly stays put, exactly where you position it.



10 Air Flow Speed Settings with LED Motor Speed Indicator and Timed Shut-Off feature.



Wireless Remote allows easy operation of most functions, from a distance Steady Flex™



## Arm-Evac 105

PN: 8888-0110-P1 (120 V), 8888-0105-P1 (230 V)

The best protection from harmful fumes in its price range. The Arm-Evac 105 is portable, compact and can be easily placed on or under a workbench. The unit features a heavy-duty, maintenance-free brushless motor.



## Arm-Evac 200

PN: 8889-0205-P1 (120 V), 8886-0200-P1 (230 V)

The Arm-Evac 200 is designed to meet the needs of light duty production as well as rework and repair operations. Lightweight and compact, the Arm-Evac 200 installs in minutes.



## Arm-Evac 250

PN: 8889-0255-P1 (120 V), 8889-0250-P1 (230 V)

The Arm-Evac 250 is ideal for heavy-duty operations that need high capacity and continuous particle filter monitoring. It incorporates a microprocessor, which displays filter efficiency on an easy-to-read graphical LED monitor.

Fume Collection Accessories give the operator the ability to complement their fume extractor with a variety of fume collection options to suit their immediate needs. All accessories are compatible with the Arm-Evac 105, 200, and 250 Fume Extractors.

Fume Collection Accessories	Description	Part Number
75mm (3) ESD Safe Flex Arm, 3'	Requires Ext. Kit (8886-0553-P1)	8886-0750-P1
75mm (3) ESD Safe Flex Arm, 4'	Requires Ext. Kit (8886-0553-P1)	8886-0760-P1
Metal Plenum	Bench Top Fume Collection	8886-0366-P1

Fume Extraction Filters have been specifically designed for applications in the electronics industry. A wide variety of filtration options are available including our 3-stage Combo Filters. All Combo Filters and Pre-Filters are compatible with Arm-Evac 105, 150, 200, and 250 Fume Extractors.

Combo Filters	Description	Part Number
Adhesive Combo Filter	For Adhesives, Solvents and Cleaners	8883-0952-P1
HEPA Combo Filter	For Soldering Requiring High Filter Efficiency (99.99%)	8883-0922-P1
General Purpose Combo Filter	Reduces Normal Volumes of Soldering Fumes (98%)	8883-0932-P1
Pre-Filter	Compatible with all Combo Filters	8883-0112-P5



PACE Worldwide  
255 Air Tool Drive  
Southern Pines, NC 28387  
phone 910.695.7223  
fax 910.695.1594

[www.paceworldwide.com](http://www.paceworldwide.com)  
[www.facebook.com/paceworldwide](https://www.facebook.com/paceworldwide)  
[www.youtube.com/paceworldwide](https://www.youtube.com/paceworldwide)

**PACE**  
paceworldwide.com

P/N 5400-0144

# Product Overview

## 2024



Solder, Desolder & Rework



SMT & Area Array Rework



Fume Extraction

Solutions and systems for soldering, rework and repair of electronics

**PAGE**<sup>®</sup>  
paceworldwide.com



# Solder & Rework



## PACE HANDPIECES

PACE Heating Technologies

AccuDrive® AD

SENSA TEMP® ST

### TD-200 AccuDrive® Tip-Heater Cartridge Iron AD

PN: 6010-0166-P1 (Handpiece), 6993-0317-P1 (Kit)

The TD-200 AccuDrive® Tip-Heater Cartridge Soldering Iron combines unsurpassed thermal performance with an ergonomic aluminum handle designed to stay cool and comfortable during extended or continuous soldering. The slim & lightweight handle dramatically reduces grip stress/operator fatigue.

### PS-90 Universal Soldering Iron ST

Intelliheat PN: 6010-0150-P1 (Handpiece), 6993-0267-P1 (Kit)  
SensaTemp PN: 6010-0131-P1 (Handpiece), 6993-0199-P1 (Kit)

The PS-90 is excellent for general purpose and heavy-duty soldering and SMT rework operations where high thermal capacity and flexibility are required. The Iron provides a wide range of SMD and Thru-Hole installation and removal capability as well as unsurpassed thermal performance on heavy, multilayer Thru-Hole assemblies at safe, lower working temperatures.

### TJ-70 ThermoJet® ST

Intelliheat PN: 7023-0002-P1 (Handpiece), 6993-0206-P1 (Kit)  
SensaTemp PN: 6010-0131-P1 (Handpiece), 6993-0199-P1 (Kit)

The TJ-70 ThermoJet® hot air pencil is ideal for delivering heat for the installation and removal of chip components, SOTs, and SOICs. A variety of quick change nozzles are available, to meet your operational needs. Its pencil grip design and finger-actuated control switch facilitates ease-of-use and manipulation in tight places for the precise application of hot air for small SMDs such as 0201s.

### MT-200 AccuDrive® MiniTweez Thermal Tweezer Handpiece AD

PN: 6010-0169-P1 (Handpiece), 6993-0321-P1 (Kit)

The MT-200 MiniTweez® is a high-powered precision thermal tweezer designed to rework micro-components such as 0201s, 0402s and 0603s in a simple, one-handed operation. The MT-200 has been engineered for multi-axis and rotational (theta) tip alignment that provides ultimate control and targeting accuracy. A Tip-Gap Adjustment Wheel adjusts the gap between the tips to reduce the distance from tip-end to tip-end, reducing grip stress and lessening operator fatigue during repetitive operations.

### TT-65 ThermoTweez® ST

Intelliheat PN: 6010-0151-P1 (Handpiece), 6993-0268-P1 (Kit)  
SensaTemp PN: 7025-0001-P1 (Handpiece), 6993-0268-P1 (Kit)

The most versatile and only patented SMT removal tool provides safe, one-handed, rapid reflow and component removal of PLCCs and other 4 or 2 sided SMT components.

### SX-100 Sodr-X-Tractor® ST

Intelliheat PN: 6010-0149-P1 (Handpiece), 6993-0266-P1 (Kit)  
SensaTemp PN: 6010-0106-P1 (Handpiece), 6993-0213-P1 (Kit)

The best performing, in-line, vacuum desoldering tool is ideal for Thru-Hole desoldering when fitted with SX-100 Desoldering Tips and for SMT land clean-up when fitted with SX-100 Flo-D-Sodr® Tips.

#### AccuDrive® Tip-Heater Cartridges

#### SensaTemp® Desoldering & SMD Removal Tips

#### SensaTemp® Soldering and Surface Mount Tips



TD-200 Standard Tips



TD-200 Ultra-Performance Tips



MT-200 Tip Pairs



Flo-D-Sodr® Tips



Precision Desoldering Tips



Thermo-Drive® Desoldering Tips



Pik-Tips® SMD Removal



Soldering  
Tips



Surface Mount  
Tips

TT-65 Tips



ThermoTweez®  
Tips

TJ-70 Nozzles



Mini ThermoJet®  
Nozzles



# Soldering & Rework Stations

## The ADS200 AccuDrive® System has been updated!

As we continue to bring you the best in soldering & rework systems, we're proud to announce a major update to the ADS200 AccuDrive® System. Starting in the Spring of 2024, the ADS200 will now be called the **ADS200 PLUS**. Through redevelopment of the entire thermal cycle, from power source to tip heater cartridge, the ADS200 PLUS is now **more responsive** when higher thermal demand is required in the soldering process, as well as offering **improved thermal recovery**. PACE is happy to provide these enhancements at no extra cost!

**ADS200**  
Plus

### ADS200 with TD200 AD

PN: 8007-0579 (120 V), 8007-0581 (230 V)

The ADS200 includes the Instant Setback Cubby (ISB) with the TD-200 Iron. Our ADS200 Bundle with the Standard Cubby is also available (8007-0580 230V).



### ADS200 with MT200 AD

PN: 8007-0589 (120 V), 8007-0590 (230 V)

PACE's new ADS200 with MT-200 Bundle includes our new MT-200 MiniTweez®, a precision thermal tweezer that allows you to rework microcomponents. The Bundle can also handle larger SOTs, D-PAKs, SOICs and TSOPs.



### Solder-Rework BUNDLE AD ST

PN: 8007-0613 (120 V), 8007-0614 (230 V)

We've bundled our two most popular single channel systems to bring you PACE's full array and capability of soldering & rework tools at a lower initial cost. Includes the ADS200 and ST125 with TD200, SX100. (Tips Included)



### ADS200 BUNDLE AD

PN: 8007-0593-P1 (120V), 8007-0594 (230V)

The ADS200 Bundles includes the Instant Setback Cubby (ISB) with the TD-200 Iron and our **3 Most Popular Tip-Heater Cartridges**: 1/32" Conical Sharp Extended, 1/32" 30° Chisel, and 1/16" 30° Chisel. ADS200 Bundle with the Standard Cubby is also available (8007-0584 120V)(8007-0588 230V).



### ST35 ST

PN: 8007-0599 (115 V), 8007-0600 (230 V)

The ST35 SensaTemp® Soldering Station is our most cost-effective digital soldering station. It's compact and stackable to ensure an efficient workspace.



### ST125 ST

PN: 8007-0607 (115 V), 8007-0608 (230 V)

Our compact rework station comes with a Hi-Flo Snap-Vac® Pump for both hot-air and vacuum applications and powered with SensaTemp® Heating Technology.



## MBT360 Multi-Channel Rework Station

MBT360, 3 Handpiece & Tips Bundle (Displayed) AD ST

PN: 8007-0597 (120 V), 8007-0598 (230 V)

The new MBT360 combines SensaTemp® heating technology with AccuDrive®'s tip-heater cartridge capability allowing the user to customize their workbench with any handpiece for maximum capability, versatility, and economy!

Only PACE offers complete interoperability and interchangeability across its entire new system and handpiece line. Buy what you need now. Add capability later. You can mix and match, reduce inventory requirements, and maximize cost savings!



# SMT Rework




Convective systems use hot air to reflow solder joints and are often thought of as a “safer” method for removing and installing components from PCBs because of the non-contact process.

## ST925 SMT Rework Station

PN: 8007-0576 (120 V), 8007-0577 (230 V)

The ST925 combines three popular PACE products together into one convenient, low-cost SMT Rework System. The system is comprised of the ST325 Programmable Convective/Hot Air Rework Station, the PH100 Low Profile Infrared Preheater and ST500A Z-Axis Platform. Together, the system provides a 575 Watt convective top-side heater plus a 1600 Watt IR bottom-side preheater which allows operators to safely rework PCBs.



### ST325 Hot Air Rework Station

PN: 8007-0429 (120 V), 8007-0432 (230 V)

The ST325 is a digital, self-contained system that is fully programmable and can be used to remove or install surface mount components. A vacuum pick for holding/lifting components is a standard feature. Handpiece includes spring loaded vacuum pick with 3 sizes of vacuum cups.



### PH100 Preheater

PN: 8007-0572 (120 V), 8007-0573 (230 V)

The PACE PH 100 is a high powered (1600W), non-contact infrared (IR) underheating system with an ergonomic, low-profile design which permits operators to safely pre-heat PCB's for fast, efficient soldering, rework or repair, even on the highest mass, thermally challenging, lead-free PCB's.



PACE's family of hot air rework systems are ideal for all SMT applications. A wide range of product features are available to meet your specific needs. They can be easily upgraded by adding one of our powerful pre-heaters and/or PCB holders.

### ST400 IR Preheater

PN: 8007-0435 (120 V), 8007-0436 (230 V)

The ST400 is an analog (dial), closed loop temperature controlled pre-heater with a 400W radiant (medium/long wave IR) heater. Temperatures range 37°C - 205°C (100°F - 300°F).



### IR1000 IR Rework System

PN: 8007-0536 (120 V), 8007-0537 (230 V)


The IR1000 is capable of installing and removing almost any SMD Component. It incorporates a 500W top heater and a 400 W pre-heater. The system features a spring loaded, adjustable vacuum pick, a cooling fan, and a built-in, spring loaded, board-holder.



## Modular Accessories

Product	Description	Part Number
<b>ST500 Z-Axis Platform</b>	Z-Axis stand for the ST 300/325 handpiece	6993-0258-P1
<b>ST500A Adjustable Z</b>	Z-Axis stand for the ST 300/325 handpiece/Fits PH-100 Preheater	6993-0258-P1
<b>ST525 PCB Holder</b>	Spring loaded board holder, holds up to 12"x12" PCBs	6993-0253-P1
<b>ST550 PCB Holder</b>	Spring loaded board holder, holds up to 18"x18" PCBs	6993-0254-P1

**ST525**  
PN: 6993-0253-P1



**ST500A**  
PN: 6993-0258-P1

